# Cabbage - head | **Diseases**

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| Alternaria | Azoxystrobin | Amistar [1] | | 1.0 l/ha | | 2 wk | 5 | 05072 | Syngenta | |
| | | Azarius | | 1.0 l/ha | - | 2 wk | 5 | 06522 | Cropthetics | |
| | | Azofin [1] | | 1.0 l/ha | - | 2 wk | 5 | 06637 | Finchimica | |
| | | Azoshy [1] | | 1.0 l/ha | - | 2 wk | 5 | 05618 | Sharda Cropchem | |
| | | Azoxystar [1] | | 1.0 l/ha | - | 2 wk | 5 | 05534 | Life Scientific | |
| | | Chamane [1] | | 1.0 l/ha | | 2 wk | 5 | 05002 | UPL | |
| | | Clayton Augusta [2] | | 1.0 l/ha | -* | 2 wk | 5 | 06635 | Clayton | |
| | | Globaztar SC [1] | | 1.0 l/ha | | 2 wk | 5 | 05529 | Globachem | |
| | | Hill-Star [1] | | 1.0 l/ha | - | 2 wk | 5 | 06809 | Hillfield Trading and Investments Ltd | |
| | | Oxe [2] | | 1.0 l/ha | - * | 2 wk | 5 | 06463 | Albaugh | |
| | | Pantha | | 1.0 l/ha | - | 2 wk | 5 | 06445 | TerreChem | |
| | | Roubaix [1] | | 1.0 l/ha | - | 2 wk | 5 | 06720 | Rotam | |

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Tazer [1] | | 1.0 l/ha | - | 2 wk | 5 | 05530 | Nufarm | |
| | | Zoxis [1] | | 1.0 l/ha | | 2 wk | 5 | 05348 | Arysta | |
| | | Zoxis Flo [1] | | 1.0 l/ha | | 2 wk | 5 | 07596 | UPL Holdings Cooperatief U.A. | |
| | Azoxystrobin, Difenoconazole | Amistar Top [1] | | 1.0 l/ha | | 3 wk | 0.3, 5 | 04582 | Syngenta | |
| | Boscalid, Pyraclostrobin | Bigalo | | 1.0 kg/ha | | 2 wk | 5, 0.4 | 06250 | Globachem | |
| | | Cobalt | | 1.0 kg/ha | - | 2 wk | 5, 0.4 | 06413 | Sharda Cropchem | |
| | | Signum | | 1.0 kgs/ha | | | 5, 0.4 | 03799 | BASF | |
| | Difenoconazole | Difcor 250 EC | | 0.3 l/ha | | 3 wk | 0.3 | 04983 | Globachem | |
| | | Difenofin | | 0.5 l/ha | - | 3 wk | 0.3 | 06218 | Finchimica | |
| | | Mavita 250 EC | | 0.5 l/ha | - | 3 wk | 0.3 | 05941 | Adama | |
| | | Score 250 EC | | 0.5 l/ha | | 3 wk | 0.3 | 04566 | Syngenta | |
| | Fluxapyroxad, Difenoconazole | Perseus [3] | | 1.0 l/ha | | 2 wk | 0.3, 0.5 | 06476 | BASF | |
| | Prothioconazole | Rudis | | 0.4 l/ha | | 3 wk | 0.09 | 04665 | Bayer | |
| | Tebuconazole | Fathom | | 1.25 l/ha | | 5 wk | 0.7 | 04688 | FMC | |

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Legend | | 1.0 l/ha | - | 5 wk | 0.7 | 06472 | Cropthetics | |
| | Trifloxystrobin, Tebuconazole | Nativo 75 WG [4] | | 0.36 kg/ha | | 3 wk | 0.5, 0.7 | 04642 | Bayer | |
| Botrytis | Aq Ext. germinated seeds of sweet Lupinus albus | PROBLAD | | 3.2 l/ha | 6 per crop | - | - | 06811 | CEV S.A | |
| | Bacillus amyloliquefaciens str. QST 713 | Serenade ASO | | 8 l/ha | | wk | - | 03847 | Bayer | |
| Downy Mildew | Fluopicolide, Propamocarb | Infinito [5] | | 1.6 l/ha | | 2 wk | 1, 0.3 | 04309 | Bayer | |
| | Metalaxyl M, Oxathiapiprolin | Orondis Vip | | 0.5 l/ha | | 3 wk | 0.06, - | 07535 | Syngenta UK Ltd | |
| | Propamocarb, Fosetyl (-aluminium) | Previcur Energy [6] | | 3 mls per sq m | | | 1 | 04041 | Bayer | |
| Fusarium | Trichoderma Asperellum (strain T34) | T34 Biocontrol [7] | | 10 g/m3 | | | - | 05620 | Fargro | |
| | | [8] | | 0.5 g/m2* | | | - | 05620 | Fargro | |
| Powdery Mildew | Aq Ext. germinated seeds of sweet Lupinus albus | PROBLAD | | 3.2 l/ha | 6 per crop | - | - | 06811 | CEV S.A | |
| | Bacillus amyloliquefaciens subsp. plantarum D747 | Amylo-X WG | | 2.5 kg/ha | | | - | 06311 | Mitsui Agriscience International S.A./N.V. | |

# Pesticide Register

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| Pythium | | | | 2.5 kg/ha | | | - | 06311 | Mitsui Agriscience International S.A./N.V. | |
| | Propamocarb, Fosetyl (-aluminium) | Previcur Energy [6] | | 3 mls per sq m | | | 1 | 04041 | Bayer | |
| | Trichoderma Asperellum (strain T34) | T34 Biocontrol [7] | | 10 g/m3 | | | - | 05620 | Fargro | |
| | | [8] | | 0.5 g/m2* | | | - | 05620 | Fargro | |
| Ring Spot | Azoxystrobin | Amistar [1] | | 1.0 l/ha | | 2 wk | 5 | 05072 | Syngenta | |
| | | Azarius | | 1.0 l/ha | - | 2 wk | 5 | 06522 | Cropthetics | |
| | | Azofin [1] | | 1.0 l/ha | - | 2 wk | 5 | 06637 | Finchimica | |
| | | Azoshy [1] | | 1.0 l/ha | - | 2 wk | 5 | 05618 | Sharda Cropchem | |
| | | Azoxystar [1] | | 1.0 l/ha | - | 2 wk | 5 | 05534 | Life Scientific | |
| | | Chamane [1] | | 1.0 l/ha | | 2 wk | 5 | 05002 | UPL | |
| | | Clayton Augusta [2] | | 1.0 l/ha | -* | 2 wk | 5 | 06635 | Clayton | |
| | | Globaztar SC [1] | | 1.0 l/ha | | 2 wk | 5 | 05529 | Globachem | |

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Hill-Star [1] | | 1.0 l/ha | - | 2 wk | 5 | 06809 | Hillfield Trading and Investments Ltd | |
| | | Oxe [2] | | 1.0 l/ha | - * | 2 wk | 5 | 06463 | Albaugh | |
| | | Pantha | | 1.0 l/ha | - | 2 wk | 5 | 06445 | TerreChem | |
| | | Roubaix [1] | | 1.0 l/ha | - | 2 wk | 5 | 06720 | Rotam | |
| | | Tazer [1] | | 1.0 l/ha | - | 2 wk | 5 | 05530 | Nufarm | |
| | | Zoxis [1] | | 1.0 l/ha | | 2 wk | 5 | 05348 | Arysta | |
| | | Zoxis Flo [1] | | 1.0 l/ha | | 2 wk | 5 | 07596 | UPL Holdings Cooperatief U.A. | |
| | Azoxystrobin, Difenoconazole | Amistar Top [1] | | 1.0 l/ha | | 3 wk | 0.3, 5 | 04582 | Syngenta | |
| | Boscalid, Pyraclostrobin | Bigalo | | 1.0 kg/ha | | 2 wk | 5, 0.4 | 06250 | Globachem | |
| | | Cobalt | | 1.0 kg/ha | - | 2 wk | 5, 0.4 | 06413 | Sharda Cropchem | |
| | | Signum | | 1.0 kgs/ha | | | 5, 0.4 | 03799 | BASF | |
| | Difenoconazole | Difcor 250 EC | | 0.3 l/ha | | 3 wk | 0.3 | 04983 | Globachem | |
| | | Difenofin | | 0.5 l/ha | - | 3 wk | 0.3 | 06218 | Finchimica | |

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Mavita 250 EC | | 0.5 l/ha | - | 3 wk | 0.3 | 05941 | Adama | |
| | | Score 250 EC | | 0.5 l/ha | | 3 wk | 0.3 | 04566 | Syngenta | |
| | Fluxapyroxad, Difenoconazole | Perseus [3] | | 1.0 l/ha | | 2 wk | 0.3, 0.5 | 06476 | BASF | |
| | Prothioconazole | Rudis | | 0.4 l/ha | | 3 wk | 0.09 | 04665 | Bayer | |
| | Tebuconazole | Fathom | | 1.25 l/ha | | 5 wk | 0.7 | 04688 | FMC | |
| | | Legend | | 1.0 l/ha | - | 5 wk | 0.7 | 06472 | Cropthetics | |
| | Trifloxystrobin, Tebuconazole | Nativo 75 WG [4] | | 0.36 kg/ha | | 3 wk | 0.5, 0.7 | 04642 | Bayer | |
| White Blister | Azoxystrobin | Amistar [1] | | 1.0 l/ha | | 2 wk | 5 | 05072 | Syngenta | |
| | | Azarius | | 1.0 l/ha | - | 2 wk | 5 | 06522 | Cropthetics | |
| | | Azofin [1] | | 1.0 l/ha | - | 2 wk | 5 | 06637 | Finchimica | |
| | | Azoshy [1] | | 1.0 l/ha | - | 2 wk | 5 | 05618 | Sharda Cropchem | |
| | | Azoxystar [1] | | 1.0 l/ha | - | 2 wk | 5 | 05534 | Life Scientific | |
| | | Chamane [1] | | 1.0 l/ha | | 2 wk | 5 | 05002 | UPL | |

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Clayton Augusta [2] | | 1.0 l/ha | -* | 2 wk | 5 | 06635 | Clayton | |
| | | Globaztar SC [1] | | 1.0 l/ha | | 2 wk | 5 | 05529 | Globachem | |
| | | Hill-Star [1] | | 1.0 l/ha | - | 2 wk | 5 | 06809 | Hillfield Trading and Investments Ltd | |
| | | Oxe [2] | | 1.0 l/ha | - * | 2 wk | 5 | 06463 | Albaugh | |
| | | Pantha | | 1.0 l/ha | - | 2 wk | 5 | 06445 | TerreChem | |
| | | Roubaix [1] | | 1.0 l/ha | - | 2 wk | 5 | 06720 | Rotam | |
| | | Tazer [1] | | 1.0 l/ha | - | 2 wk | 5 | 05530 | Nufarm | |
| | | Zoxis [1] | | 1.0 l/ha | | 2 wk | 5 | 05348 | Arysta | |
| | | Zoxis Flo [1] | | 1.0 l/ha | | 2 wk | 5 | 07596 | UPL Holdings Cooperatief U.A. | |
| | Azoxystrobin, Difenoconazole | Amistar Top [1] | | 1.0 l/ha | | 3 wk | 0.3, 5 | 04582 | Syngenta | |
| | Boscalid, Pyraclostrobin | Bigalo | | 1.0 kg/ha | | 2 wk | 5, 0.4 | 06250 | Globachem | |
| | | Cobalt | | 1.0 kg/ha | - | 2 wk | 5, 0.4 | 06413 | Sharda Cropchem | |
| | | Signum | | 1.0 kgs/ha | | | 5, 0.4 | 03799 | BASF | |

# Pesticide Register

| Diseases | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | Metalaxyl M, Oxathiapiprolin | Orondis Vip | | 0.5 l/ha | | 3 wk | 0.06, - | 07535 | Syngenta UK Ltd | |
| | Trifloxystrobin, Tebuconazole | Nativo 75 WG [4] | | 0.36 kg/ha | | 3 wk | 0.5, 0.7 | 04642 | Bayer | |

1 A maximum total dose of 500g azoxystrobin must not be exceeded within a 12 month period on the same field
2 Maximum total dose of 500 g azoxystrobin must not be exceeded within a 12 month period on the same field
3 Max total dose of difenoconazole must not exceed 250 g/ha/year
4 A maximum of 3 applications per calender year may be applied to the same area
5 1 application indoor prior to transplanting, 1 application outdoor
6 For crops protected at time of application
7 Protected crops only
8 Assuming 5cm depth

# Cabbage - head | **Pests**

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| Aphid | | FLiPPER | | 5.0 l/ha | | | | 05027 | Alpha Biopesticides Ltd | |
| | | Turin | | 1.0 kg/ha | | | | 07429 | Pan Agriculture Ltd | |
| | Deltamethrin | Deca 2.5% EC | | 300 mls/ha | | 1 wk | 0.01 | 04952 | Sharda Europe | |
| | | Decis Protech | | 500 mls/ha | | 1 wk | 0.01 | 05269 | Bayer | |
| | | Delta-Glob 25 EC | | 300 mls/ha | | 1 wk | 0.01 | 06302 | GlobaChem | |
| | | Deltagri | | 300 ml/ha | 2 per crop | 1 wk | 0.01 | 04987 | Arysta | |
| | | Polux | | 0.3 l/ha | | 1 wk | 0.01 | 05946 | Galenika-Fitofarmacija | |
| | Esfenvalerate | Fielder 2.5EC | | 165 mls/ha | | | 0.08 | 07632 | Sumitomo Chemical Agro Europe SAS | |
| | | Sumi-Alpha | | 165 mls/ha | | | 0.08 | 02334 | Sumito Chemical | |
| | Fatty acid - C7 - C18 - potassium salt | Tec-Bom | | 5.75 l/ha | | - | - | 05040 | Fargro | |
| | Flonicamid | Afinto | | 0.14 kgs/ha | | 2 wk | 0.5 | 06733 | Syngenta | |
| | | Sedef | | 0.14 kgs/ha | | 2 wk | 0.5 | 07507 | Galenika-Fitofarmacija | |
| | | Teppeki | | 0.14 kgs/ha | | 2 wk | 0.5 | 04399 | Belchim | |

# Pesticide Register

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | Flupyradifurone | Sivanto Prime [1] | | 0.625 l/ha | | 3 days | | 06634 | Bayer CropScience Limited | |
| | Spirotetramat | Movento (Emergency Use) | | 0.5 l/ha | | 3 days | | 07615 | Bayer CropScience Limited | 18/08/2026 |
| Cabbage Root Fly | Cyantraniliprole | Benevia 10 OD | | 0.75 l/ha | | 1 wk | 2 | 05354 | Du Pont | |
| | | Verimark 20SC | | 0.6 l/ha | | | 2 | 05356 | FMC | |
| | | | | 0.6 l/ha | | | 2 | 05356 | FMC | |
| | Spinosad | Cerami [2] | | 200 ml/ha | 4 per crop* | 3 days | 2 | 07069 | Globachem nv | |
| | | Clayton Relic [2] | | 200 ml/ha | | 3 days | 2 | 06841 | Clayton Plant Protection Ltd | |
| | | | | 12 ml/1000 plants | | | 2 | 06841 | Clayton Plant Protection Ltd | |
| | | RIPVIA [2] | | 200 ml/ha | | 3 days | 2 | 07134 | Rainbow Agrosciences Europe S.A.U. | |
| | | | | 12 ml/1000 plants | | | 2 | 07134 | Rainbow Agrosciences Europe S.A.U. | |
| | | Simpell [2] | | 200 ml/ha | | 3 days | 2 | 07613 | Nufarm UK Limited | |
| | | | | 12 ml/1000 plants | | | 2 | 07613 | Nufarm UK Limited | |
| | | Spanner [2] | | 200 ml/ha | 4 per crop* | 3 days | 2 | 06922 | Galenika-Fitofarmacija | |
| | | Spin [2] | | 200 ml/ha | | 3 days | 2 | 07438 | Pan Agriculture Ltd | |

# Pesticide Register

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 12 ml/1000 plants | | | 2 | 07438 | Pan Agriculture Ltd | |
| | | Tracer [2] | | 200 ml/ha | | 3 days | 2 | 02649 | Corteva | |
| | | | | 12 ml/1000 plants | | | 2 | 02649 | Corteva | |
| | | | | | | | 2 | 02649 | Corteva | |
| Caterpillar | Bacillus thuringiensis subspecies kurstaki EG 2348 | Lepinox Plus | | 1.0 kg/ha | | | | 05254 | Fargro | |
| | Chlorantraniliprole | Chloroflash | | 125 ml/ha | | 1 day | 2 | 07557 | Barclay Chemicals Ltd | |
| | | Clayton Geneva | | 125 ml/ha | | 1 day | 2 | 07422 | Clayton Plant Protection Ltd | |
| | | Coragen | | 125 ml/ha | | 1 day | 2 | 05295 | FMC | |
| | | LAGUNA | | 125 ml/ha | 2 per crop | 1 day | 2 | 07139 | Galenika-Fitofarmacija | |
| | | LS CHLORANTRA 200 | | 125 ml/ha | | 1 day | 2 | 07325 | Life Scientific Limited | |
| | | Lakota | | 125 ml/ha | - | 1 day | 2 | 07223 | Galenika-Fitofarmacija | |
| | | Nocoron | | 125 ml/ha | | 1 day | 2 | 07334 | Globachem nv | |
| | | Optil | | 125 ml/ha | | 1 day | 2 | 07577 | Life Scientific Limited | |

# Pesticide Register

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Pan Genie | | 125 ml/ha | | 1 day | 2 | 07443 | Pan Agriculture Ltd | |
| | | SHENZI 200 SC | | 125 ml/ha | - | 1 day | 2 | 07215 | FMC Agro Ltd | |
| | | Vocasad | | 125 ml/ha | | 1 day | 2 | 07331 | Rainbow Agrosciences Europe S.A.U. | |
| | Cyantraniliprole | Benevia 10 OD | | 0.75 l/ha | | 1 wk | 2 | 05354 | Du Pont | |
| | | Verimark 20SC | | 0.6 l/ha | | | 2 | 05356 | FMC | |
| | | | | 0.6 l/ha | | | 2 | 05356 | FMC | |
| | Deltamethrin | Deca 2.5% EC | | 300 mls/ha | | 1 wk | 0.01 | 04952 | Sharda Europe | |
| | | Decis Protech | | 500 mls/ha | | 1 wk | 0.01 | 05269 | Bayer | |
| | | Delta-Glob 25 EC | | 300 mls/ha | | 1 wk | 0.01 | 06302 | GlobaChem | |
| | | Deltagri | | 300 ml/ha | 2 per crop | 1 wk | 0.01 | 04987 | Arysta | |
| | | Polux | | 0.3 l/ha | | 1 wk | 0.01 | 05946 | Galenika-Fitofarmacija | |
| | Esfenvalerate | Fielder 2.5EC | | 165 mls/ha | | | 0.08 | 07632 | Sumitomo Chemical Agro Europe SAS | |
| | | Sumi-Alpha | | 165 mls/ha | | | 0.08 | 02334 | Sumito Chemical | |
| | Spinosad | Cerami [2] | | 200 ml/ha | 4 per crop* | 3 days | 2 | 07069 | Globachem nv | |
| | | Clayton Relic [2] | | 200 ml/ha | | 3 days | 2 | 06841 | Clayton Plant Protection Ltd | |

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 12 ml/1000 plants | | | 2 | 06841 | Clayton Plant Protection Ltd | |
| | | RIPVIA [2] | | 200 ml/ha | | 3 days | 2 | 07134 | Rainbow Agrosciences Europe S.A.U. | |
| | | | | 12 ml/1000 plants | | | 2 | 07134 | Rainbow Agrosciences Europe S.A.U. | |
| | | Simpell [2] | | 200 ml/ha | | 3 days | 2 | 07613 | Nufarm UK Limited | |
| | | | | 12 ml/1000 plants | | | 2 | 07613 | Nufarm UK Limited | |
| | | Spanner [2] | | 200 ml/ha | 4 per crop* | 3 days | 2 | 06922 | Galenika-Fitofarmacija | |
| | | Spin [2] | | 200 ml/ha | | 3 days | 2 | 07438 | Pan Agriculture Ltd | |
| | | | | 12 ml/1000 plants | | | 2 | 07438 | Pan Agriculture Ltd | |
| | | Tracer [2] | | 200 ml/ha | | 3 days | 2 | 02649 | Corteva | |
| | | | | 12 ml/1000 plants | | | 2 | 02649 | Corteva | |
| | | | | | | | 2 | 02649 | Corteva | |
| | lambda-Cyhalothrin | Karate Zeon | | 100 mls/ha | | | 0.15 | 04084 | Syngenta | |

# Pesticide Register

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Karis 10 CS [3] | | 100 ml/ha | | | 0.15 | 04454 | FMC | |
| | | LS TARAK | | 100 mls/ha | 4 per crop | | 0.15 | 07187 | Life Scientific Limited | |
| | | Life Scientific Lambda | | 100 mls/ha | 4 | | 0.15 | 04868 | Life Scientific | |
| | | Markate 50 [4] | | 200 ml/ha | | | 0.15 | 05001 | Globachem | |
| | | Ninja 10CS | | 100 mls/ha | | | 0.15 | 05178 | Syngenta | |
| | | Ravane [4] | | 200 ml/ha | 4 per crop * | | 0.15 | 05536 | Globachem | |
| | | Sparviero | | 100 ml/ha | | | 0.15 | 04469 | Sipcam | |
| | | Stealth | | 100 mls/ha | 4 per crop | | 0.15 | 06468 | Syngenta | |
| Flea Beetle | Deltamethrin | Deca 2.5% EC | | 300 mls/ha | | 1 wk | 0.01 | 04952 | Sharda Europe | |
| | | Decis Protech | | 500 mls/ha | | 1 wk | 0.01 | 05269 | Bayer | |
| | | Delta-Glob 25 EC | | 300 mls/ha | | 1 wk | 0.01 | 06302 | GlobaChem | |
| | | Deltagri | | 300 ml/ha | 2 per crop | 1 wk | 0.01 | 04987 | Arysta | |
| | | Polux | | 0.3 l/ha | | 1 wk | 0.01 | 05946 | Galenika-Fitofarmacija | |
| Slugs | Ferric Phosphate | Ironclad | | 7 kg/ha | | | - | 06420 | Doff | |
| | | Sluxx HP | | 7.0 kg/ha | | | - | 05557 | Certis | |
| | Metaldehyde | Axcela | | 7.0 kg/ha | | | 0.4 | 04839 | YOU Solutions Germany Gmbh | |

# Pesticide Register

| Pests | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Metarex Inov | | 5.0 kg/ha | | | 0.4 | 04852 | Bayer | |
| Thrips | Beauveria bassiana GHA / ATCC 74040 | Botanigard OD | | 1.25 l/ha | 25 per crop | 1 day | - | 06787 | Mycotech Europe Ltd | |
| Vine Weevil | Metarhizium anisoplice - ST BIPESCO 5/F52 | LALGUARD M52 GR | | 0.5 kgs/m³ | | | - | 04811 | Fargo | |
| Whitefly | Beauveria bassiana GHA / ATCC 74040 | Botanigard OD | | 1.25 l/ha | 25 per crop | 1 day | - | 06787 | Mycotech Europe Ltd | |
| Wireworm | Cypermethrin | Columbo 0.8 MG | | 12 kg/ha | | | 1 | 06716 | SBM | |

1 When applying from GS 12 to 39, only 1 application permitted every 2 years on the same area
2 Only 2 foliar applications of spinosad permitted if module drench application received before planting
3 A minimum of 10 days must be observed between applications
4 A minimum interval of 10 days must be observed between applications

# Cabbage - head | **Weeds**

| Weeds | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| Annuals | Clomazone | Gamit 36 CS | | 0.25 l/ha | | | 0.01 | 05357 | FMC | |
| | Clopyralid | Lontrel 600 | | 0.33 l/ha | | 6 weeks | 3 | 04914 | Corteva Agriscience UK Ltd | |
| | Dimethenamid-P, Pendimethalin | Wing P | | 4.0 l/ha | | | 0.05, 0.01 | 03590 | BASF | |
| | Metazachlor | Butisan S [1] | | 1.5 l/ha | | | 0.4 | 04631 | BASF | |
| | | Rapsan 500 [1] | | 1.5 l/ha | - | | 0.4 | 06006 | Globachem | |
| | | Rapsan 500SC [1] | | 1.5 l/ha | - | | 0.4 | 05886 | Globachem | |
| | Napropamide | Devrinol | | 2.8 l/ha | | | 0.01 | 05234 | UPL | |
| | Pendimethalin | Anthem | | 3.3 l/ha | | | 0.05 | 04761 | Adama Agricultural Solutions UK Ltd | |
| | | Clayton Stream | | 2.9 l/ha | 1 per crop | | 0.05 | 07405 | Clayton Plant Protection Ltd | |
| | | Pendifin 400 SC | | 3.3 l/ha | 1 per crop | | 0.05 | 05731 | Finchimica | |
| | | Sharpen 40% SC | | 3.3 l/ha | 1 per crop | | 0.05 | 04847 | Sharda Europe b.v.b.a | |
| | | Stomp Aqua | | 2.9 l/ha | | | 0.05 | 03750 | BASF | |
| | Pyridate | Lentagran WP | | 2.0 kg/ha | | | 1.5 | 05580 | Certis Belchim | |
| | | Mabel | | 2.0 kg/ha | | | 1.5 | 07503 | Pan Agriculture Ltd | |

| Weeds | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|
| Grasses | Clethodim | Centurion Max | | 2.0 l/ha | | 4 wk | 0.5 | 04948 | Arysta | |
| | | Dedalus | | 2.0 l/ha | | 4 wk | 0.5 | 07399 | Barclay Chemicals Ltd | |
| | | Lightning | | 1.4 l/ha | | 4 wk | 0.5 | 06644 | Sipcam U.K. Ltd | |
| | Cycloxydim | Stratos Ultra | | 4.0 l/ha | | 4 weeks | | 04936 | BASF | |

1 A maximum total dose of not more than 1000g metazachlor per hectare may be applied in a three year period on the same field

# Cabbage - head | **Support**

| Support | Active | Product | Label | Max Individual Dose | Max No | HI | EU MRL mg/kg | PCS No | Supplier | Use By Date |
|---|---|---|---|---|---|---|---|---|---|---|