# **EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)**

#### **INSTRUCTIONS FOR USE**

PPP: Hurricane SC (PCS No. 04357)

**CROPS:** 

[Outdoor grown]: Carrot and parsnip.

This approval provides for the use of the product <u>Hurricane SC (PCS No. 04357)</u> in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 21.05.18.** [Includes latest changes. This version should be used until updated]

Product name: Hurricane SC

Active Substance: Diflufenican 500 g/l

Formulation: Suspension Concentrate (SC)

Authorisation Holder: Adama Agricultural Solutions UK Ltd

Marketing Company: Adama Agricultural Solutions UK Ltd

*PCS No:* 04357

*User type/Function:* Professional Use Only / Fungicide.

## Application:

Crop	Max.	Max.	Max.	Minimum	Latest	Target
	individua	number of	total	interval	time of	
	I dose	applicatio	dose	between	application	
		ns		applications		
Outdoor	0.24 l/ha	-	0.24 l/ha	-	Pre-	A range of
grown:					emergence	broad-leaf
carrot,						weeds
parsnip						

## Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application by tractor mounted/trailed sprayer only.
- (4) Post application, do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (5) For environmental information refer to the product label but specifically: To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies from tractor mounted/trailed sprayers. Aim spray away from water. Growers may be eligible to reduce the buffer zone under the PRCD STRIPE Scheme.
- (6) This approval extends to professional use only.
- (7) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (8) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

# Advisory information:

This approval relates to the use of Hurricane SC as a horticultural herbicide for the control of a range of broad-leaved weeds on the crops and situations above.

Apply in a minimum of 100 litres of water per ha.

Growers are cautioned that whilst there is some evidence that suggests a safe use on the crops listed above, in certain soils and conditions there has been no complete testing of this product. Growers are strongly advised to test a small area before widespread use. Some of the factors that may affect the phytotoxicity of this product include, temperature, soil moisture content, soil sand componant, leaf wax etc. Growers are reminded that this EAMU is commercially at the growers own risk. Please consult with your crop advisers for more specialist advice.

### Resistance Management:

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other herbicides from different cross-resistant groups [different mode of action, HRAC group] with satisfactory efficacy against the target.

Hurricane SC contains diflufenican

Diflufenican is classed HRAC group: F1.

#### **IMPORTANT PLEASE NOTE:**

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.