

EXTENSION OF AUTHORISATION FOR MINOR USES (EAMU)

INSTRUCTIONS FOR USE

PPP: Dynamec (PCS No. 04438)

CROPS: [Protected crops of: baby leaf production, lettuce and herbs]

Herbs includes: Perennial herbs {*Agastache* spp: angelica, balm, bay, burnet (salad), catnip, chamomile, chives, clary sage, dragonhead, fennel, horehound, hyssop, land cress, lavandin, lavender, lemon verbena, lovage, marjoram, mint, nettle, oregano}

{ *Origanum heracleoticum* spp: plantain, rosemary, rue, sage, sorrel, spike lavender, St John's Wort, tarragon, thyme, woodruff, yarrow}

-Annual herbs: {basil, borage, caraway, chervil, coriander, curry plant, dill, edible pansy, fenugreek, feverfew, marigold, nasturtium, parsley, rocket (salad), savory, violet}

This approval provides for the use of the product **Dynamec (PCS No. 04438)** in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

Reference Date: 07.01.20. [Includes latest changes. This version should be used until updated]

Product name: Dynamec

Active Substance: Abamectin 18.0g/l

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

Formulation: Emulsifiable concentrate (EC)

Authorisation Holder: Syngenta UK Ltd

Marketing Company: Syngenta Ireland Ltd

PCS No: 04438

User type/Function: Professional Use Only / Acaricide.

Application:

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target
Protected crops of: baby leaf production, lettuce and herbs	0.5 L/ha	4 per crop	2.0 L/ha	N/A	14 days before harvest	Red spider mite

Other specific restrictions:

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Application may only be made using conventional hydraulic air assisted sprayers including hand-held applicators only.
- (4) Post application no unprotected person should enter the treated area until the application had dried & the area has been well ventilated.
- (5) The maximum spray concentration must not exceed 50 ml of product in 100 litres of water.
- (6) To minimise airborne environmental exposure, vents, doors and other openings must be closed during and after application until the applied product has fully settled.
- (7) This approval extends to professional use only.
- (8) For environmental information refer to the product label
- (9) For operator protection refer to the product label.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.

- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product, on human or animal health, or the environment.

Advisory information:

This approval relates to the use of Dynamec as a horticultural acaricide for the control of red spider mite on the crops & situations listed above.

Resistance Management:

Use Dynamec as part of an Integrated Crop Management (ICM) strategy.

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical groups or alternative control measures should be included in the planned anti-resistance strategy. This product should be used in conjunction with other acaricides from different cross-resistant groups [different mode of action, IRAC group] with satisfactory efficacy against the target.

Dynamec contains Abamectin IRAC class: 6.

IMPORTANT PLEASE NOTE:

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.