

**EXTENSION OF AUTHORISATION FOR MINOR USES on (EAMU)**

**INSTRUCTIONS FOR USE**

PPP: Lontrel 600 (48% w/w) Clopyralid PCS No. 04914

**CROPS:**

[Field crops of: Bulb onion, broccoli/calabrese, cabbage, cauliflower, Brussel sprouts]

This approval provides for the use of the product Lontrel 600 (48% w/w) Clopyralid PCS No. 04914 in respect of, the crops and situations as listed above, which are extra to those specified on the product label.

The conditions of the application outlined below are statutory. They must be complied with when availing of this extension for minor uses.

The instructions provided in this extension for minor uses must be used in conjunction with the information provided on the approved product label.

Failure to abide by the conditions of approval specified below or on the product label may constitute a breach of the product approval.

**Reference Date: 23.01.2024.** [Includes latest changes. This version should be used until updated]

<i>Product name:</i>	Lontrel 600
<i>Active Substance:</i>	600g ae/litre (48% w/w) Clopyralid
<i>Formulation:</i>	Soluble Concentrate.
<i>Authorisation Holder:</i>	Corteva Agriscience
<i>Marketing Company:</i>	Corteva Agriscience
<i>PCS No:</i>	04914
<i>User type/Function:</i>	Professional Use / Herbicide

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

*Application:*

Crop	Max. individual dose	Max. number of applications	Max. total dose	Minimum interval between applications	Latest time of application	Target pest
Bulb onion	0.33l/Ha	-	0.5l/Ha	7 days	6 weeks before harvest	A range of perennial and annual weeds, in particular thistles and mayweeds
Broccoli/calabrese, cabbage, cauliflower	0.33l/Ha	-	0.5l/Ha	7 days	6 weeks before harvest	A range of perennial and annual weeds, in particular thistles and mayweeds
Brussels sprout	0.33l/Ha	-	0.5l/Ha	7 days	Up to and including 9 or more true leaves unfolded (BBCH19)	A range of perennial and annual weeds, in particular thistles and mayweeds

*Other specific restrictions:*

- (1) To avoid risks to human health & the environment comply with the terms of this approval in conjunction with the directions for use on the product label.
- (2) For any individual crop the maximum total dose refers to the total dose of any product containing the same active ingredient.
- (3) Only apply to onions after the 2 true leaf stage and when they have an adequate wax layer.
- (4) Application should only be made to direct drilled brassicas after they have reached the 2 true leaf expanded stage. Transplanted crops can be treated once they are growing strongly and fully established.
- (5) Application by tractor mounted/trailed horizontal boom sprayer.
- (6) Post-application do not allow unprotected persons to enter treated areas until the crop is completely dry & has been well ventilated.
- (7) For environmental information refer to the product label.

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***

- (8) This approval extends to professional use only.
- (9) For operator protection refer to the product label in conjunction with the specific restrictions above.
- (10) Adverse effects: Approval holders must immediately submit any new information on the potentially dangerous effects of a product or residues of an active substance contained in a product on human or animal health or the environment.

*Advisory information:*

This approval relates to the use of “Lontrel 600” as a horticultural herbicide for the uses listed in the application table above.

Applications should be made using conventional horizontal boom sprayers using a minimum of 200 litres of water per ha.

*Resistance Management:*

Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating herbicides with different modes of action and weeding methods is a recognised anti-resistance strategy and Lontrel 600 should always be used in conjunction with other herbicides with a different mode of action.

*IMPORTANT PLEASE NOTE:*

Prior to the use of this product, growers should take advice from their crop advisors particularly in relation to the use of this product within an integrated crop management system of production.

---

***There is limited evidence of crop safety and/or product efficacy available for this extension of authorisation for minor uses and the commercial risk of using this product on the crops/situations listed in this document is borne entirely by the grower.***