

# ERADICOAT<sup>®</sup>

MAPP 17121/ PCS 05211 | Batch No.:

A fast acting, contact pesticide in a soluble concentrate formulation containing 598 g/l (49% w/w) of maltoedextrin for the control of spider mites in all outdoor and protected crops.

## INSECTICIDE

I

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK - UK ONLY

### SAFETY PRECAUTIONS

#### Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WHEN USING DO NOT EAT, DRINK OR SMOKE

WASH CONCENTRATE from eyes immediately

WASH HANDS AND EXPOSED SKIN before eating and drinking and after work DO NOT BREATHE SPRAY.

#### Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water/avoid contamination via drains from farmyards and roads. Dangerous to bees. To protect bees and pollinating insects do not apply to crop plants when in flower. Do not use where bees are actively foraging. Do not apply when flowering weeds are present.

RISK TO NON-TARGET INSECTS OR OTHER ARTHROPODS. See Directions for use.

#### Storage and disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS KEEP OUT OF REACH OF CHILDREN

KEEP IN ORIGINAL CONTAINER, tightly closed in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into the spray tank and dispose of safely

KEEP OUT OF REACH OF CHILDREN

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into the spray tank and dispose of safely.

This label is compliant with the CPA Voluntary Initiative Guidance - UK only



CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumer's statutory rights are not affected.

### IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL HORTICULTURAL INSECTICIDE  
Crops: All outdoor and protected crops

Maximum individual dose: 25ml per litre of water

Maximum number of treatments: 20 per crop

Latest time of application: 1 day before harvest

#### Other specific restriction:

The maximum concentration must not exceed 25 ml of product per 1 litre water.

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION.

### ERADICOAT

A fast acting, contact pesticide in a soluble concentrate formulation containing 598 g/l (49% w/w) of maltoedextrin for the control of spider mites in all outdoor and protected crops

## WARNING CAUSES SERIOUS EYE IRRITATION

Harmful to aquatic life with long lasting effects- Ireland Only



424700

Wash hands thoroughly after handling

Wear protective gloves, protective clothing, eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste

To avoid risks to human health and the environment, comply with the instructions for use

MAPP 17121/PCS 05211

Marketed by: Certis Europe BV, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambs. CB21 6AD.

Tel: 0044 (0)1223 894261 Fax: 0044 (0)1223 894261 E-mail: certis@certiseurope.co.uk For technical and

non-emergency calls - phone 0044 (0)845 373 0305 For advice on medical emergencies, fires, spillages and

chemical hazards ONLY - phone 0870 190 6777 Approval Holder: Certis Europe BV, Suite 5, 3 Riverside,

Granta Park, Great Abington, Cambridgeshire, CB21 6AD © Eradicoat is a registered trademark of Certis Europe BV

5L e

## Material Safety Data Sheet

To access the Safety Data Sheet for this product, scan the QR code or use the web link below

URL: <https://cutt.ly/rvjN7v>



CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumers statutory rights are not affected.

# ERADICOAT®

# CERTIS

MAPP 17121/ PCS 05211 | Batch No.:

A fast acting, contact pesticide in a soluble concentrate formulation containing 598 g/l (49% w/w) of maltodextrin for the control of spider mites in all outdoor and protected crops.

## INSECTICIDE

1

THE (COSHH) CONTROL OF SUBSTANCES HAZARDOUS TO HEALTH REGULATIONS MAY APPLY TO THE USE OF THIS PRODUCT AT WORK - UK ONLY

### SAFETY PRECAUTIONS

#### Operator Protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WHEN USING DO NOT EAT, DRINK OR SMOKE

WASH CONCENTRATE from eyes immediately

WASH HANDS AND EXPOSED SKIN before eating and drinking and after work  
DO NOT BREATHE SPRAY

#### Environmental Protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water/avoid contamination via drains from farmyards and roads. Dangerous to bees. To protect bees and pollinating insects do not apply to crop plants when in flower. Do not use where bees are actively foraging or not apply when flowering weeds are present.

RISKS TO NON-TARGET INSECTS OR OTHER ARTHROPODS. See Directions for use.

#### Storage and disposal

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS KEEP OUT OF REACH OF CHILDREN

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into the spray tank and dispose of safely

KEEP OUT OF REACH OF CHILDREN

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

WASH OUT CONTAINER THOROUGHLY, empty washings into the spray tank and dispose of safely.

This label is compliant with the CPA Voluntary Initiative Guidance - UK only

CONDITIONS OF SUPPLY: The Seller warrants that the goods shall at the time of delivery to the Buyer conform to the Seller's standard specification but all other conditions and warranties, whether express or implied by statute or custom of the trade or otherwise and whether as to condition, quality, performance, merchantability, fitness for any purpose or otherwise, are expressly excluded and, subject as aforesaid, the Seller shall be under no liability whatsoever, in contract or in tort, for or in respect of any loss or damage whatsoever resulting from or arising out of the goods or supply or use thereof, whether caused by the negligence of the Seller or otherwise. The Seller shall be under no liability in respect of the warranty given above unless the Buyer allows the Seller reasonable opportunity of inspecting the goods where practicable. A consumers statutory rights are not affected.

### IMPORTANT INFORMATION

FOR USE ONLY AS A PROFESSIONAL HORTICULTURAL INSECTICIDE

**Crops:** All outdoor and protected crops

**Maximum individual dose:** 25ml per litre of water

**Maximum number of treatments:** 20 per crop

**Latest time of application:** 1 day before harvest

#### Other specific restrictions:

The maximum concentration must not exceed 25 ml of product per 1 litre water.

**READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL, MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION.**

### ERADICOAT

A fast acting, contact pesticide in a soluble concentrate formulation containing 598 g/l (49% w/w) of maltodextrin for the control of spider mites in all outdoor and protected crops

## WARNING CAUSES SERIOUS EYE IRRITATION

Harmful to aquatic life with long lasting effects- Ireland Only

Wash hands thoroughly after handling

Wear protective gloves, protective clothing, eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty clean containers which can be disposed of as non-hazardous waste

**To avoid risks to human health and the environment, comply with the instructions for use**

MAPP 17121/PCS 05211



42/4700

Marketed by: Certis Europe BV, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambs. CB21 6AD.

Tel: 0044 (0)1223 894261 Fax: 0044 (0)1223 894261 E-mail: [certis@certiseurope.co.uk](mailto:certis@certiseurope.co.uk)

For technical and non-emergency calls - phone 0044 (0)845 373 0305 For advice on medical emergencies, fires, spillages or chemical hazards ONLY - phone 0870 190 6777 Approval Holder: Certis Europe BV, Suite 5, 3 Riverside, Granta Park, Great Abington, Cambridgeshire, CB21 6AD © Eradicoat is a registered trademark of Certis Europe BV

5L e

## DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

**Mode of action:** Eradicoat has a physical mode of action, blocking the spiracles of the pest leading to suffocation and will give high levels of control from multiple applications. The maximum effect will normally be seen within 2-4 hours after application. Further mortality will then only be seen following repeat applications.

Application rate: 25ml of Eradicoat per litre of water.

## IMPORTANT

Eradicoat has a contact mode of action. Ensure good coverage and contact of pest. Spray to run off. Ensure that the plant is thoroughly covered, paying special attention to the underside of leaves and to growing points. Eradicoat is most effective in quick drying conditions.

## APPLICATION

For pesticides to work effectively it is important to get good crop coverage. Frequently cases of supposed pesticide failure are actually the result of poor crop coverage.

The best available application technique, which minimises off-target drift, should be used to reduce effects on non-target insects or other arthropods

Avoid spraying within 5 m of the field boundary to reduce effects on non-target insects or other arthropods.

**Handheld applicators:** A hand lance is recommended. For best results use a flat fan nozzle. Target spray to the underside of leaves and to growing points.

**Boom sprayers:** Application rates in the region of 1000 to 3000 l/ha applied with 80o flat fan nozzles, spaced 30cm apart with an operating pressure of 2.5 to 3.0 bar. Angle the nozzle 45o upwards from the horizontal on the boom. At a nominal walking speed of 1 m/s this can be achieved with a nozzle flow rate of 1.2 l/min. For this, the nozzle type '03f80' is needed.

Spider mites migrate to the top of the plant canopy as the season progresses. Therefore to target this area it is important to match the height of the boom/spray to the height of the canopy.

**Mixing:** Fill sprayer with half the required volume of water (using mains water) and commence agitation. Add measured quantity of Eradicoat. Complete filling of sprayer with water to the required volume. Ensure product is thoroughly mixed before application.

## STORAGE

Do not store diluted product, always use immediately after mixing. Store concentrate at ambient temperature in a dry place.

## Target Pests:

PEST	STAGE TARGETED	APPLICATION METHOD	FURTHER APPLICATIONS
Spider mites	Adults and Nymphs	2 applications 4-7 days apart. The second of these application kills newly emerged nymphs.	Repeat applications of Eradicoat or the introduction of biological control agents may be needed to maintain control.
Whitefly	Eggs, Larvae, Pupae and Adults	2 applications 4-7 days apart.	
Aphids*	Adults and Nymphs	1 application to hot spots. Repeat as required	

\*Very limited data suggest some reduction of aphids may be achieved.

## CROP SAFETY

Due to the diversity of crops that may be treated, it is important that a few plants should be tested before treating wider areas. Avoid application to the flowers of ornamental species. A sticky residue may be left on fruit such as tomatoes.

## INTEGRATED PEST MANAGEMENT

Eradicoat can have adverse effects on non-target insects or other arthropods that are hit by spray but has no residual effect. Beneficials can be reintroduced into the crop after application once the crop has dried.

## RESISTANCE

Eradicoat has not been reported to have any insect resistance. However, it is good practice to use such products as components of Integrated Pest Management systems, alternating with other control measures. This is particularly important for sequential crops.