

Brussels sprouts | Diseases

Diseases	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
Alternaria	azoxystrobin	AZ-TEC ³		1.0 L	2	2 wk	5.00	06036	Unichem	
		Amistar ³		1.0 L	2	2 wk	5.00	05072	Syngenta	
		Chamane ³		1.0 L	2	2 wk	5.00	05002	UPL	
		Globaztar SC ³		1.0 L	2	2 wk	5.00	05529	Globachem	
		Zoxis ³		1.0 L	2	2 wk	5.00	05348	Arysta	
	azoxystrobin, difenoconazole	Amistar Top ³		1.0 L	2	3 wk	5.00, 0.40	04582	Syngenta	
	boscalid, pyraclostrobin	Bigalo		1.0 Kg	3	2 wk	5.00, 0.30	06250	Globachem	
		Signum		1.0 Kg	3	2 wk	5.00, 0.30	03799	BASF	
	difenoconazole	Difcor 250 EC ⁵		0.3 L	3	3 wk	0.40	04983	Globachem	
		Score 250 EC ⁵		0.5 L	2	3 wk	0.40	04566	Syngenta	
	fluxapyroxad, difenoconazole	Perseus		1.0 L	3	2 wk	0.40, 0.40	06476	BASF	
	prothioconazole	Rudis		0.4 L	3	3 wk	0.10	04665	Bayer	
	trifloxystrobin, tebuconazole	Nativo 75 WG ²		0.36 Kg	2	3 wk	0.60, 0.70	04642	Bayer	
Botrytis	bacillus amyloliquefaciens str. qst 713	Serenade ASO	EAMU	8 L	6	days		03847	Bayer	
Downy Mildew	bacillus amyloliquefaciens subsp. plantarum d747	Amylo-X WG	EAMU	2.5 Kg	6	GS 79		06311	Certis	
	mandipropamid	Revus		0.6 L	2	2 wk	0.20	05154	Syngenta	
	propamocarb	Proplant ⁷		5 ml per sq m	1		2.00	03994	Arysta	

Pesticide Register

Diseases	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
Fusarium	propamocarb, fluopicolide	Infinito ¹	EAMU	1.6 L	2 *	2 wk	2.00, 0.20	04309	Bayer	
	propamocarb, fosetyl (-aluminium)	Previcur Energy ⁴		3 mls/sq ²	2		2.00, 10.00	04041	Bayer	
	trichoderma asperellum (strain t34), trichoderma asperellum (strain t34)	T34 Biocontrol ⁶	EAMU	0.5 g/m ²	1		,	05620	Fargro	
Light Leaf Spot	prothioconazole	Rudis		0.4 L	3	3 wk	0.10	04665	Bayer	
Pythium	trifloxystrobin, tebuconazole	Nativo 75 WG ²		0.36 Kg	2	3 wk	0.60, 0.70	04642	Bayer	
	bacillus amyloliquefaciens subsp. plantarum d747	Amylo-X WG	EAMU	2.5 Kg	6	GS 79		06311	Certis	
	propamocarb	Proplant ⁷		5 ml per sq m	1		2.00	03994	Arysta	
Ring Spot	propamocarb, fosetyl (-aluminium)	Previcur Energy ⁴		3 mls/sq ²	2		2.00, 10.00	04041	Bayer	
	trichoderma asperellum (strain t34), trichoderma asperellum (strain t34)	T34 Biocontrol ⁶	EAMU	0.5 g/m ²	1		,	05620	Fargro	
	azoxystrobin	AZ-TEC ³		1.0 L	2	2 wk	5.00	06036	Unichem	
		Amistar ³		1.0 L	2	2 wk	5.00	05072	Syngenta	
		Chamane ³		1.0 L	2	2 wk	5.00	05002	UPL	
		Globaztar SC ³		1.0 L	2	2 wk	5.00	05529	Globachem	
		Zoxis ³		1.0 L	2	2 wk	5.00	05348	Arysta	
	azoxystrobin, difenoconazole	Amistar Top ³		1.0 L	2	3 wk	5.00, 0.40	04582	Syngenta	
	boscalid, pyraclostrobin	Bigalo		1.0 Kg	3	2 wk	5.00, 0.30	06250	Globachem	

Pesticide Register

Diseases	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
White Blister	difenoconazole	Signum		1.0 Kg	3	2 wk	5.00, 0.30	03799	BASF	
		Difcor 250 EC ⁵		0.3 L	3	3 wk	0.40	04983	Globachem	
		Score 250 EC ⁵		0.5 L	2	3 wk	0.40	04566	Syngenta	
	fluxapyroxad, difenoconazole	Perseus		1.0 L	3	2 wk	0.40, 0.40	06476	BASF	
		prothioconazole	Rudis		0.4 L	3	3 wk	0.10	04665	Bayer
	trifloxystrobin, tebuconazole	Nativo 75 WG ²		0.36 Kg	2	3 wk	0.60, 0.70	04642	Bayer	
		azoxystrobin	AZ-TEC ³		1.0 L	2	2 wk	5.00	06036	Unichem
	azoxystrobin, difenoconazole	Amistar ³		1.0 L	2	2 wk	5.00	05072	Syngenta	
		Chamane ³		1.0 L	2	2 wk	5.00	05002	UPL	
	boscalid, pyraclostrobin	Globaztar SC ³		1.0 L	2	2 wk	5.00	05529	Globachem	
		Zoxis ³		1.0 L	2	2 wk	5.00	05348	Arysta	
	trifloxystrobin, tebuconazole	Amistar Top ³		1.0 L	2	3 wk	5.00, 0.40	04582	Syngenta	
		Bigalo		1.0 Kg	3	2 wk	5.00, 0.30	06250	Globachem	
Signum			1.0 Kg	3	2 wk	5.00, 0.30	03799	BASF		
		Nativo 75 WG ²		0.36 Kg	2	3 wk	0.60, 0.70	04642	Bayer	

1 * 1 application indoor prior to transplanting, 1 application outdoor

2 * A maximum of 3 applications per calendar year may be applied to the same area

3 * A maximum total dose of 500g azoxystrobin must not be exceeded within a 12 month period on the same field

4 * For crops protected at time of application

5 * A Max total dose of difenoconazole must not exceed 250 g/ha/year

Pesticide Register

6 *Assuming 5cm depth

7 Protected crops only

Pesticide Register

Brussels sprouts | Pests

Pest	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
Aphid	acetamiprid	Insyst	<i>EAMU</i>	250 g/ha	1	3 wk	0.05	03249	Certis	
	deltamethrin	Deca 2.5% EC		300 mls/ha	2	1 wk	0.01	04952	Sharda Europe	
		Decis Protech		500 mls/ha	2	1 wk		05269	Bayer	
		Polux		0.3 L	2	1 wk		05946	Galenika-Fitofarmacija	
	esfenvalerate	Sumi-Alpha	<i>EAMU</i>	165 mls/ha	2	1 wk	0.05	02334	Sumito Chemical	
	fatty acid - c7 - c18 - potassium salt	Tec-Bom	<i>EAMU</i>	5.75 L	9	-		05040	Fargro	
	fatty acid - c7-c20	FLIPPER	<i>EAMU</i>	5.0 L	9	-		05027	Fargro	
	flonicamid	Afinto	<i>EAMU</i>	0.14 kgs/ha	2	2 wk	0.60	06733	Syngenta	
		Teppeki	<i>EAMU</i>	0.14 kgs/ha	2	2 wk		04399	Belchim	
	spirotetramat	Clayton Occupy		0.5 L	2	3 days	0.30	06899	Clayton	30/10/2025
	Movento		0.5 L	2	3 days		05349	Bayer CropScience Limited	30/10/2025	
Cabbage Root Fly	cyantraniliprole	Verimark 20SC (Drench)		0.6 L	1	Pre Planting	2.00	05356	FMC	
		Verimark 20SC (Spray)		0.6 L	1	Pre Planting		05356	FMC	
	spinosad	Tracer (Drench)	<i>EAMU</i>	12 ml/1000 plants	1			02649	Corteva	
		Tracer (Spray) ²		200 mL	4 *	3 days		02649	Corteva	
Caterpillar	bacillus thuringiensis subspecies kurstaki eg 2348	Lepinox Plus		1.0 kg/ha	3			05254	Fargro	
	cyantraniliprole	Benevia 10 OD		0.75 L	2	1 wk	2.00	05354	Du Pont	

Pesticide Register

Pest	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
	deltamethrin	Deca 2.5% EC		300 mls/ha	2	1 wk	0.01	04952	Sharda Europe	
		Decis Protech		500 mls/ha	2	1 wk		05269	Bayer	
		Polux		0.3 L	2	1 wk		05946	Galenika-Fitofarmacija	
	esfenvalerate	Sumi-Alpha	EAMU	165 mls/ha	2	1 wk	0.05	02334	Sumito Chemical	
		lambda-cyhalothrin	Karate Zeon ¹		100 mls/ha	4		0.04	04084	Syngenta
	Karis 10 CS ¹			100 mL	2			04454	FMC	
	Markate 50 ¹			200 mL	4 *			05001	Globachem	
	Ninja 10CS ¹			100 mls/ha	2			05178	Syngenta	
	Sparviero ¹			100 mL	2			04469	Sipcam	
	spinosad	Tracer (Drench)	EAMU	12 ml/1000 plants	1			2.00	02649	Corteva
Tracer (Spray) ²			200 mL	4 *	3 days			02649	Corteva	
Flea Beetle	deltamethrin	Deca 2.5% EC		300 mls/ha	2	1 wk	0.01	04952	Sharda Europe	
		Decis Protech		500 mls/ha	2	1 wk		05269	Bayer	
		Polux		0.3 L	2	1 wk		05946	Galenika-Fitofarmacija	
Slugs	ferric phosphate	Ironclad		7 kg/ha	4			06420	Doff	
		Sluxx HP		7.0 kg/ha	4			05557	Certis	
	metaldehyde	Axcela		7.0 kg/ha	3			04839	YOU Solutions Germany Gmbh	
		Gusto 3		6.0 kg/ha	2	1 wk	0.40	04959	Adama	

Pesticide Register

Pest	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
		Metarex Inov		5.0 kg/ha	3	GS 41		04852	Bayer	
Wireworm	cypermethrin	Columbo 0.8 MG		12 kg/ha	1		1.00	06716	SBM	

1 * A minimum interval of 10 days must be observed between applications

2 * only 2 foliar applications of spinosad permitted if module drench application received before planting

Brussels sprouts | **Weeds**

Weed	Active	Product	Label	Rate / ha	Max No	HI	EU MRL mg/kg	PCS No	Supplier	Use By Date
Annuals	clomazone	Gamit 36 CS	<i>EAMU</i>	0.25 L	1		0.01	05357	FMC	
	clopyralid	Cliophar 100		2.0 L	-		0.50	04899	BASF	
		Lontrel 600	<i>EAMU</i>	0.33 L	1			04914	Corteva Agriscience UK Ltd	
	dimethenamid-p, pendimethalin	Wing P	<i>EAMU</i>	4.0 L	1		0.01, 0.05	03590	BASF	
	metazachlor	Butisan S ¹		1.5 L	1		0.06	04631	BASF	
	napropamide	Devrinol		2.8 L	1		0.01	05234	UPL	
	pendimethalin	Anthem		3.3 L	1		0.05	04761	Adama	
		Stomp Aqua		2.9 L	1			03750	BASF	
	pyridate	Lentagran WP		2.0 kg/ha	1			05580	Certis Belchim	
Grasses	clethodim	Centurion Max	<i>EAMU</i>	2.0 L	1	4 wk	0.50	04948	Arysta	
	cycloxydim	Stratos Ultra		4.0 L	1	6 weeks	6.00	04936	BASF	

¹ A maximum total dose of not more than 1000g metazachlor per hectare may be applied in a three year period on the same field