

Cabbage - head | **Diseases**

| Diseases                         | Active  | Product                      | Label   | Rate / ha             | Max No | HI         | EU MRL mg/kg | PCS No | Supplier  | Use By Date |
|----------------------------------|---|------------------------------|---------|-----------------------|--------|------------|--------------|--------|-----------|-------------|
| Alternaria                       | azoxystrobin                                  | AZ-TEC                       |         | 1.0 L                 | 2      | 2 wk       | 5.00         | 06036  | Unichem   |             |
|                                  |   | Amistar <sup>3</sup>         |         | 1.0 L                 | 2      | 2 wk       | 5.00         | 05072  | Syngenta  |             |
|                                  |   | Chamane <sup>3</sup>         |         | 1.0 L                 | 2      | 2 wk       | 5.00         | 05002  | UPL       |             |
|                                  |   | Globaztar SC <sup>3</sup>    |         | 1.0 L                 | 2      | 2 wk       | 5.00         | 05529  | Globachem |             |
|                                  |   | Zoxis <sup>3</sup>           |         | 1.0 L                 | 2      | 2 wk       | 5.00         | 05348  | Arysta    |             |
|                                  | azoxystrobin,<br>difenoconazole               | Amistar Top <sup>3</sup>     |         | 1.0 L                 | 2      | 3 wk       | 5.00, 0.30   | 04582  | Syngenta  |             |
|                                  | boscalid,<br>pyraclostrobin                   | Bigalo                       |         | 1.0 Kg                | 3      | 2 wk       | 5.00, 0.40   | 06250  | Globachem |             |
|                                  |   | Signum                       |         | 1.0 Kg                | 3      | 2 wk       | 5.00, 0.40   | 03799  | BASF      |             |
|                                  | difenoconazole                                | Difcor 250 EC                |         | 0.3 L                 | 3      | 3 wk       | 0.30         | 04983  | Globachem |             |
|                                  |   | Score 250 EC                 |         | 0.5 L                 | 2      | 3 wk       | 0.30         | 04566  | Syngenta  |             |
|                                  | fluxapyroxad,<br>difenoconazole               | Perseus <sup>6</sup>         |         | 1.0 L                 | 3      | 2 wk       | 0.50, 0.30   | 06476  | BASF      |             |
|                                  | prothioconazole                               | Rudis                        |         | 0.4 L                 | 3      | 3 wk       | 0.09         | 04665  | Bayer     |             |
|                                  | tebuconazole                                  | Fathom                       |         | 1.25 L                | 1      | 35<br>days | 0.70         | 04688  | FMC       |             |
| trifloxystrobin,<br>tebuconazole | Nativo 75 WG <sup>2</sup>                     |                              | 0.36 Kg | 2                     | 3 wk   | 0.50, 0.70 | 04642        | Bayer  |           |             |
| Botrytis                         | bacillus<br>amyloliquefaciens str.<br>qst 713 | Serenade ASO                 | EAMU    | 8 L                   | 6      | days       |              | 03847  | Bayer     |             |
| Downy Mildew                     | propamocarb,<br>fluopicolide                  | Infinito <sup>1</sup>        | EAMU    | 1.6 L                 | 2 *    | 2 wk       | 1.00, 0.30   | 04309  | Bayer     |             |
|                                  | propamocarb, fosetyl (-<br>aluminium)         | Previcur Energy <sup>4</sup> |         | 3 mls/sq <sup>2</sup> | 2      |            | 1.00, 10.00  | 04041  | Bayer     |             |

## Pesticide Register

| Diseases       | Active  | Product                      | Label | Rate / ha             | Max No | HI   | EU MRL mg/kg | PCS No | Supplier  | Use By Date |
|----------------|---|------------------------------|-------|-----------------------|--------|------|--------------|--------|-----------|-------------|
| Fusarium       | trichoderma<br>asperellum (strain t34),<br>trichoderma<br>asperellum (strain t34) | T34 Biocontrol <sup>7</sup>  | EAMU  | 10 g/m <sup>3</sup>   | 1      |      | ,            | 05620  | Fargro    |             |
| Powdery Mildew | bacillus<br>amyloliquefaciens<br>subsp. plantarum d747                            | Amylo-X WG                   | EAMU  | 2.5 Kg                | 6      |      |              | 06311  | Certis    |             |
| Pythium        |   | Amylo-X WG                   | EAMU  | 2.5 Kg                | 6      |      |              | 06311  | Certis    |             |
|                | propamocarb, fosetyl (-<br>aluminium)   | Previcur Energy <sup>4</sup> |       | 3 mls/sq <sup>2</sup> | 2      |      | 1.00, 10.00  | 04041  | Bayer     |             |
|                | trichoderma<br>asperellum (strain t34),<br>trichoderma<br>asperellum (strain t34) | T34 Biocontrol <sup>7</sup>  | EAMU  | 10 g/m <sup>3</sup>   | 1      |      | ,            | 05620  | Fargro    |             |
| Ring Spot      | azoxystrobin  | AZ-TEC                       |       | 1.0 L                 | 2      | 2 wk | 5.00         | 06036  | Unichem   |             |
|                |   | Amistar <sup>3</sup>         |       | 1.0 L                 | 2      | 2 wk | 5.00         | 05072  | Syngenta  |             |
|                |   | Chamane <sup>3</sup>         |       | 1.0 L                 | 2      | 2 wk | 5.00         | 05002  | UPL       |             |
|                |   | Globaztar SC <sup>3</sup>    |       | 1.0 L                 | 2      | 2 wk | 5.00         | 05529  | Globachem |             |
|                |   | Zoxis <sup>3</sup>           |       | 1.0 L                 | 2      | 2 wk | 5.00         | 05348  | Arysta    |             |
|                | azoxystrobin,<br>difenoconazole   | Amistar Top <sup>3</sup>     |       | 1.0 L                 | 2      | 3 wk | 5.00, 0.30   | 04582  | Syngenta  |             |
|                | boscalid,<br>pyraclostrobin   | Bigalo                       |       | 1.0 Kg                | 3      | 2 wk | 5.00, 0.40   | 06250  | Globachem |             |
|                |   | Signum                       |       | 1.0 Kg                | 3      | 2 wk | 5.00, 0.40   | 03799  | BASF      |             |
|                | difenoconazole  | Difcor 250 EC                |       | 0.3 L                 | 3      | 3 wk | 0.30         | 04983  | Globachem |             |
|                |   | Score 250 EC                 |       | 0.5 L                 | 2      | 3 wk | 0.30         | 04566  | Syngenta  |             |
|                | fluxapyroxad,<br>difenoconazole   | Perseus <sup>6</sup>         |       | 1.0 L                 | 3      | 2 wk | 0.50, 0.30   | 06476  | BASF      |             |
|                | prothioconazole   | Rudis                        |       | 0.4 L                 | 3      | 3 wk | 0.09         | 04665  | Bayer     |             |

## Pesticide Register

| Diseases      | Active                        | Product                      | Label                    | Rate / ha | Max No | HI      | EU MRL mg/kg | PCS No     | Supplier  | Use By Date |  |
|---------------|-------------------------------|------------------------------|--------------------------|-----------|--------|---------|--------------|------------|-----------|-------------|--|
| White Blister | tebuconazole                  | Fathom                       |                          | 1.25 L    | 1      | 35 days | 0.70         | 04688      | FMC       |             |  |
|               | trifloxystrobin, tebuconazole | Nativo 75 WG <sup>2</sup>    |                          | 0.36 Kg   | 2      | 3 wk    | 0.50, 0.70   | 04642      | Bayer     |             |  |
|               | azoxystrobin                  | AZ-TEC                       |                          | 1.0 L     | 2      | 2 wk    | 5.00         | 06036      | Unichem   |             |  |
|               |                               | Amistar <sup>3</sup>         |                          | 1.0 L     | 2      | 2 wk    | 5.00         | 05072      | Syngenta  |             |  |
|               |                               | Chamane <sup>3</sup>         |                          | 1.0 L     | 2      | 2 wk    | 5.00         | 05002      | UPL       |             |  |
|               |                               | Globaztar SC <sup>3</sup>    |                          | 1.0 L     | 2      | 2 wk    | 5.00         | 05529      | Globachem |             |  |
|               |                               | Zoxis <sup>3</sup>           |                          | 1.0 L     | 2      | 2 wk    | 5.00         | 05348      | Arysta    |             |  |
|               |                               | azoxystrobin, difenoconazole | Amistar Top <sup>3</sup> |           | 1.0 L  | 2       | 3 wk         | 5.00, 0.30 | 04582     | Syngenta    |  |
|               |                               | boscalid, pyraclostrobin     | Bigalo                   |           | 1.0 Kg | 3       | 2 wk         | 5.00, 0.40 | 06250     | Globachem   |  |
|               |                               | Signum                       |                          | 1.0 Kg    | 3      | 2 wk    | 5.00, 0.40   | 03799      | BASF      |             |  |
|               | trifloxystrobin, tebuconazole | Nativo 75 WG <sup>2</sup>    |                          | 0.36 Kg   | 2      | 3 wk    | 0.50, 0.70   | 04642      | Bayer     |             |  |

1 \* 1 application indoor prior to transplanting, 1 application outdoor

2 \* A maximum of 3 applications per calendar year may be applied to the same area

3 \* A maximum total dose of 500g azoxystrobin must not be exceeded within a 12 month period on the same field

4 \* For crops protected at time of application

5 \* Maximum total dose of 500 g azoxystrobin must not be exceeded within a 12 month period on the same field

6 \*Max total dose of difenoconazole must not exceed 250 g/ha/year

7 Protected crops only

# Pesticide Register

## Cabbage - head | Pests

| Pest             | Active                                 | Product                            | Label             | Rate / ha         | Max No | HI           | EU MRL mg/kg | PCS No                    | Supplier                     | Use By Date |
|------------------|--|------------------------------------|-------------------|-------------------|--------|--------------|--------------|---------------------------|------------------------------|-------------|
| Aphid            | deltamethrin                           | Decis Protech                      |                   | 500 mls/ha        | 2      | 1 wk         | 0.10         | 05269                     | Bayer                        |             |
|                  |  | Polux                              |                   | 0.3 L             | 2      | 1 wk         |              | 05946                     | Galenika-Fitofarmacija       |             |
|                  | esfenvalerate                          | Sumi-Alpha                         | EAMU              | 165 mls/ha        | 2      | 1 wk         | 0.08         | 02334                     | Sumito Chemical              |             |
|                  | fatty acid - c7 - c18 - potassium salt | Tec-Bom                            | EAMU              | 5.75 L            | 9      | -            |              | 05040                     | Fargro                       |             |
|                  | fatty acid - c7-c20                    | FLiPPER                            | EAMU              | 5.0 L             | 9      | -            |              | 05027                     | Fargro                       |             |
|                  | flonicamid                             | Afinto                             | EAMU              | 0.14 kgs/ha       | 2      | 2 wk         | 0.50         | 06733                     | Syngenta                     |             |
|                  |  | Teppeki                            | EAMU              | 0.14 kgs/ha       | 2      | 2 wk         |              | 04399                     | Belchim                      |             |
|                  | spirotetramat                          | Clayton Occupy                     |                   | 0.5 L             | 2      | 3 days       | 2.00         | 06899                     | Clayton                      | 30/10/2025  |
| Movento          |  |                                    | 0.5 L             | 2                 | 3 days |              | 05349        | Bayer CropScience Limited | 30/10/2025                   |             |
| Cabbage Root Fly | cyantraniliprole                       | Verimark 20SC (Drench)             |                   | 0.6 L             | 1      | Pre Planting |              | 05356                     | FMC                          |             |
|                  |  | Verimark 20SC (Spray)              |                   | 0.6 L             | 1      | Pre Planting |              | 05356                     | FMC                          |             |
|                  | spinosad                               | Clayton Relic (drench)             |                   | 12 ml/1000 plants | 1      |              |              | 06841                     | Clayton Plant Protection Ltd |             |
|                  |  | Clayton Relic (spray) <sup>2</sup> |                   | 200 mL            | 4 *    | 3 days       |              | 06841                     | Clayton Plant Protection Ltd |             |
|                  |  | Tracer                             | EAMU              |                   |        |              |              | 02649                     | Corteva                      |             |
|                  | Tracer (drench)                        |                                    | 12 ml/1000 plants | 1                 |        |              | 02649        | Corteva                   |                              |             |
|                  | Tracer (spray) <sup>2</sup>            |                                    | 200 mL            | 4 *               | 3 days |              | 02649        | Corteva                   |                              |             |

# Pesticide Register

| Pest        | Active   | Product        | Label                    | Rate / ha  | Max No | HI    | EU MRL mg/kg | PCS No   | Supplier                   | Use By Date |
|-------------|--|----------------|--------------------------|------------|--------|-------|--------------|----------|----------------------------|-------------|
| Caterpillar | bacillus thuringiensis subspecies kurstaki eg 2348 | Lepinox Plus   |                          | 1.0 kg/ha  | 3      |       |              | 05254    | Fargro                     |             |
|             | chlorantraniliprole                                | Coragen        |                          | 125 mL     | 2      | 1 day | 2.00         | 05295    | FMC                        |             |
|             | cyantraniliprole                                   | Benevia 10 OD  |                          | 0.75 L     | 2      | 1 wk  |              | 05354    | Du Pont                    |             |
|             | deltamethrin                                       | Deca 2.5% EC   |                          | 300 mls/ha | 2      | 1 wk  | 0.10         | 04952    | Sharda Europe              |             |
|             |  |                | Decis Protech            | 500 mls/ha | 2      | 1 wk  |              | 05269    | Bayer                      |             |
|             |  |                | Polux                    | 0.3 L      | 2      | 1 wk  |              | 05946    | Galenika-Fitofarmacija     |             |
|             | esfenvalerate                                      | Sumi-Alpha     | EAMU                     | 165 mls/ha | 2      | 1 wk  | 0.08         | 02334    | Sumito Chemical            |             |
|             | lambda-cyhalothrin                                 | Karate Zeon    |                          | 100 mls/ha | 4      |       | 0.15         | 04084    | Syngenta                   |             |
|             |  |                | Karis 10 CS <sup>3</sup> | 100 mL     | 2      |       |              | 04454    | FMC                        |             |
|             |  |                | Markate 50 <sup>1</sup>  | 200 mL     | 4 *    |       |              | 05001    | Globachem                  |             |
| Ninja 10CS  |  |                | 100 mls/ha               | 2          |        |       | 05178        | Syngenta |                            |             |
| Sparviero   |  |                | 100 mL                   | 2          |        |       | 04469        | Sipcam   |                            |             |
| Flea Beetle | deltamethrin                                       | Deca 2.5% EC   |                          | 300 mls/ha | 2      | 1 wk  | 0.10         | 04952    | Sharda Europe              |             |
|             |  |                | Polux                    | 0.3 L      | 2      | 1 wk  |              | 05946    | Galenika-Fitofarmacija     |             |
| Slugs       | ferric phosphate                                   | Ironclad       |                          | 7 kg/ha    | 4      |       |              | 06420    | Doff                       |             |
|             |  | Sluxx HP       |                          | 7.0 kg/ha  | 4      |       |              | 05557    | Certis                     |             |
|             | metaldehyde  | Axcela         |                          | 7.0 kg/ha  | 3      |       |              | 04839    | YOU Solutions Germany Gmbh |             |
|             |  | Metarex Inov   |                          | 5.0 kg/ha  |        | GS 41 | 0.40         | 04852    | Bayer                      |             |
| Wireworm    | cypermethrin                                       | Columbo 0.8 MG |                          | 12 kg/ha   | 1      |       | 1.00         | 06716    | SBM                        |             |

# Pesticide Register

- 1 \* A minimum interval of 10 days must be observed between applications
- 2 \* only 2 foliar applications of spinosad permitted if module drench application received before planting
- 3 A minimum of 10 days must be observed between applications

Cabbage - head | **Weeds**

| Weed     | Active                        | Product                | Label       | Rate / ha | Max No | HI      | EU MRL mg/kg | PCS No         | Supplier                   | Use By Date |
|----------|-------------------------------|------------------------|-------------|-----------|--------|---------|--------------|----------------|----------------------------|-------------|
| Annuals  | clomazone                     | Gamit 36 CS            | <i>EAMU</i> | 0.25 L    | 1      |         | 0.01         | 05357          | FMC                        |             |
|          | clopyralid                    | Lontrel 600            | <i>EAMU</i> | 0.33 L    | 1      | 6 weeks | 3.00         | 04914          | Corteva Agriscience UK Ltd |             |
|          | dimethenamid-p, pendimethalin | Wing P                 | <i>EAMU</i> | 4.0 L     | 1      |         | 0.01, 0.05   | 03590          | BASF                       |             |
|          | metazachlor                   | Butisan S <sup>1</sup> |             | 1.5 L     | 1      |         | 0.40         | 04631          | BASF                       |             |
|          | napropamide                   | Devrinol               |             | 2.8 L     | 1      |         | 0.01         | 05234          | UPL                        |             |
|          | pendimethalin                 | Anthem                 |             | 3.3 L     | 1      |         | 0.05         | 04761          | Adama                      |             |
|          |                               | Stomp Aqua             |             | 2.9 L     | 1      |         |              | 03750          | BASF                       |             |
| pyridate | Lentagran WP                  |                        | 2.0 kg/ha   | 1         |        | 1.50    | 05580        | Certis Belchim |                            |             |
| Grasses  | clethodim                     | Centurion Max          | <i>EAMU</i> | 2.0 L     | 1      | 4 wk    | 0.50         | 04948          | Arysta                     |             |
|          | cycloxydim                    | Stratos Ultra          |             | 4.0 L     | 1      | 4 weeks | 5.00         | 04936          | BASF                       |             |

<sup>1</sup> A maximum total dose of not more than 1000g metazachlor per hectare may be applied in a three year period on the same field